



*SprayEZ-2000[™] is our 2.0 LB density **closed cell** spray foam. A **superior** insulation product that provides a complete air and vapor barrier with maximum R-value!*

Control the Air

To create an energy efficient structure you need to control the air movement within. Roughly one third of the air inside a structure infiltrates through the walls, ceilings and floors. A structure that leaks is not energy efficient. Adding an advanced insulation system like **SprayEZ-2000[™]** will do more than control the leakage – when applied at 2” or greater it is **both** an air and vapor barrier! When properly installed by an authorized contractor **SprayEZ-2000[™]** quickly expands to fill the cracks, crevices, gaps and voids that exist in every structure. In addition **SprayEZ-2000[™]** will conform to the curves, irregular surfaces and spaces to form a superior thermal envelope around your entire structure.

R-Value

Typical r-value tests will measure only one component of the heat transfer process – Conduction (transfer of heat by direct contact). R-value alone does not properly reflect the insulating power of spray foam. When you combine the high R-value per inch of **SprayEZ-2000[™]** along with it’s ability to stop air filtration you can achieve a thermal envelope that is superior to more traditional forms of insulation.

Reduce Heating and Cooling Costs

What is the major reason you invest in a superior insulation system like **SprayEZ-2000[™]**? **To reduce heating and cooling costs!** A properly installed **SprayEZ-2000[™]** insulation system will generate long term savings of 40% or more on your heating and cooling costs over traditional insulation methods.



Spray Equipment and Coatings Inc.

At SprayEZ we are dedicated to providing quality products that add true value through long term performance and ease of use.

We manufacture a variety of Spray Polyurethane Foam products and protective coatings that are used in both the residential and commercial markets. Our Spray Polyurethane Foam is manufactured for a variety of uses that include residential and commercial building insulation, exterior roofing and poured in place foam for industrial applications.

All polyurethane chemical systems are not created equal. The chemistry makes a big difference. Our formulations are carefully designed to provide our customers with systems that are superior in their processing and application performance.

Homeowners, building owners and end users demand performance that includes affordability, reliability, comfort and ease of use.

At Spray Equipment and Coatings Inc. we meet these daily demands through a commitment to quality, technology, service and support for our valued customers.

KEY PHYSICAL PROPERTIES

R-VALUE (Aged) 6.7 at 4”+	DENSITY 2.0 PCF	AIR LEAKAGE RATE <0.003L/sM²	CLOSED CELL CONTENT >96%
-------------------------------------	---------------------------	--	---------------------------------------



